

# 3M™ Protective Coveralls



## 3M™ Protective Coverall 4510

Designed to offer cost effective protection against hazardous dusts and limited liquid splashes.


- ▶ Elasticized hood, ankles, cuffs and waist
- ▶ 2 way zip with storm flap
- ▶ Ultra low linting
- ▶ Collared and hooded available
- ▶ Anti-static



## 3M™ Protective Coverall 4515

Made from lightweight and extremely breathable material and is designed to offer protection against hazardous dusts and limited liquid splashes.

- ▶ Elasticized hood, cuffs, ankles and waist
- ▶ 2 way zip with storm flap
- ▶ Low linting



## 3M™ Protective Coverall 4520

Made from lightweight and extremely breathable material and is designed to offer protection against hazardous dusts and limited liquid splashes.

- ▶ Elasticized hood, ankles and waist
- ▶ 2 way zip with sealable tab on storm flap
- ▶ 3-panel hood
- ▶ Knitted cuffs
- ▶ Low linting
- ▶ Collared and hooded available ▶ Anti-static



# Selection guide by application

● Suggested ○ Possible alternative

▶ Click on photos to view web content.



	4510	4515	4520	4530	4535	4540+	4545	4565	4570
Certification**	Limited Splash Particle Anti-static Limited Micro-organism	Limited Splash Particle	Limited Splash Particle Anti-static	Limited Splash Particle Anti-static	Limited Splash Particle Anti-static	Limited Splash Particle Anti-static	Limited Splash Particle Anti-static Limited Micro-organism	Limited Splash Particle Spray Anti-static Limited Micro-organism	Limited Splash Particle Spray Jet Nuclear Anti-static Micro-organism
Material weight	1.38 oz/yd <sup>2</sup> (47gsm)	1.47 oz/yd <sup>2</sup> (50gsm)	1.26 oz/yd <sup>2</sup> (43gsm)	1.59 oz/yd <sup>2</sup> (54gsm)	1.62 oz/yd <sup>2</sup> (55gsm)	1.44 oz/yd <sup>2</sup> (49gsm)	1.44 oz/yd <sup>2</sup> (49gsm)	1.44 oz/yd <sup>2</sup> (49gsm)	2.71 oz/yd <sup>2</sup> (92gsm)
Sizes	M-4XL	M-4XL	M-4XL	M - 4XL	M - 4XL	M-4XL	M-4XL	M-4XL	S - 4XL
Colors									

▶ **Abatement/remediation**

Exposure to radioactive particles	○	○	○	●	○	○	○	○	●
Mold remediation/ mold spores	○	●	●	○	○	○	○	○	○
Asbestos inspection, site preparation	○	●	●	○	○	○	○	○	
Asbestos removal	○	○	○	○	○	○	○	●	

▶ **Agriculture**

Fertilizer application (dry/granular)	○	●	○	○	○	○	○		
Animal waste (solid)		○	○						
Pesticide spraying <sup>3</sup>					○			●	○

▶ **Emergency response/biohazard**

Bloodborne pathogens									●
Hazardous biological aerosol									●

▶ **Pharmaceutical/clean room**

Pharmaceutical processing	○		○	○	○	○	○	●	
Handling powders	○		○	○	○	○	○	●	
Clean rooms	○					○	●	●	

▶ **Painting**

Spray Painting	●			○	●	●	●	●	
Resin application	●			○	●	●	●	○	
Fiberglass application	●			○	●	●	●	○	

continues on back page >

\*\* See pages 4-5 for additional overview and technical data sheets at [3M.com/protectiveapparel](http://3M.com/protectiveapparel) for fuller specifications.

▶ Click on photos to view web content.



**Product Guide**  
(continued)

	4510	4515	4520	4530	4535	4540+	4545	4565	4570
<b>▶ Cleaning and maintenance</b>									
Dirt		●	○	○					
Machine or vehicle maintenance	○	○	○	●	○	○	○		
Light duty building maintenance	○	○	○						
Grease (general)	○	○	○	○	○	○	○		
Light duty warehousing, janitorial		●							
<b>▶ General industry</b>									
Electronics/circuit board assembly <sup>1</sup>			●	●					
Fiberglass/cellulose insulation installation	○	●	●	○	○	○	○	○	
Food processing	○	○	○		○	○	○		
General powder handling	○	●	○	○	○	○	○		
Lime handling		●	○	○					
Woodworking			●	●					
Non-hazardous aerosols (sprays)	○	○	○	○	●	○	○	○	
Non-hazardous liquids	○	○	○	○	●	○	○	○	
Non-hazardous solids		●	○						
Coal dust	○	●	○	○	○	○	○	○	
<b>▶ Oil &amp; gas/chemical</b>									
Maintenance (refinery)				●					
Tank cleaning								○	●
Chemical mixing and handling								○	●
<b>▶ Metal work</b>									
Metal grinding				●					
Welding in certain applications (worn over appropriate welding garment) <sup>2</sup>				●					

**Summary: Materials and design**

	White	White, blue	White	Blue	White with blue full back	White with blue triangle	White	White with red taped seams	Grey
<b>▶ Color options</b>	White	White, blue	White	Blue	White with blue full back	White with blue triangle	White	White with red taped seams	Grey
<b>▶ Suit material</b>	PE laminate	SMS	SMMMS	SMMS	PE laminate + SMMMS	BICO PE laminate + SMMMS	BICO PE laminate	BICO PE laminate	Multi-layer PE laminate
<b>▶ Fabric weight</b>	47 gsm	50 gsm	43 gsm	54 gsm	55 gsm	49 gsm	49 gsm	49 gsm	92 gsm
<b>▶ Coating</b>	Anti-static	None	Anti-static	Anti-static, FR	Anti-static	Anti-static	Anti-static	Anti-static	Anti-static
<b>▶ Storm flap</b>	Basic flap	Storm flap with tabs	Storm flap with tabs	Sealable flap	Basic flap	Sealable flap	Sealable flap	Sealable flap	Double flap, double zip
<b>▶ Cuffs</b>	Elastic	Elastic	Knitted	Knitted	Knitted	Knitted	Knitted	Knitted	Elastic + thumb loops
<b>▶ Reinforced gusset</b>	No	No	No	Yes	Yes	Yes	Yes	No	No
<b>▶ Hood design</b>	2-panel	2-panel	3-panel	3-panel	2-panel	3-panel	3-panel	3-panel	3-panel
<b>▶ Seams type</b>	Stitched & partially bound	Stitched	Stitched	Stitched	Stitched & partially bound	Stitched & partially bound	Stitched & partially bound	Taped	Taped

<sup>1</sup> For applications conducted in a controlled environment refer to "Cleanroom Applications".

<sup>2</sup> Material will melt when contacting spatter and hot surfaces.

<sup>3</sup> Refer to pesticide manufacturer's recommendations for appropriate level of liquid/particulate protection.

\*\* See pages 4-5 for additional overview and technical data sheets at [3M.com/protectiveapparel](http://3M.com/protectiveapparel) for fuller specifications.

**Important Notice**

This guide is only an outline. It should not be used as the only means for selecting protective clothing. Before using any protective clothing, the wearer must read and understand the user instructions for each product. Specific country legislation must be observed. If in doubt, contact a safety professional. Selection of the most appropriate PPE will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE.

**Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. Always read and follow all User Instructions supplied with your 3M™ Protective Coveralls in order to ensure correct operation. If you have questions contact 3M Technical Service.**

**LIMITATION OF LIABILITY:** Except as provided above, 3M shall not be liable or responsible for any loss or damage, whether direct, indirect, incidental, special or consequential arising out of the sale, use or misuse of 3M PSD products, or the user's inability to use such products. THESE REMEDIES SET FORTH HEREIN ARE EXCLUSIVE.

**WARRANTY:** 3M will replace or refund the purchase price of any Personal Safety Division product found to be defective in material, manufacture, or not in conformance with any expressed warranty. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.



**Personal Safety Division**

3M Center, Building 235-2NW-70  
St. Paul, MN 55144-1000

[www.3m.com/workersafety](http://www.3m.com/workersafety)

3M PSD products are for occupational use only

Please recycle. Printed in USA.  
© 3M 2016. All rights reserved.  
Issued: 9/16 11683HB  
70-0716-7207-8

3M is a trademark of 3M Company.  
Used under license by 3M subsidiaries and affiliates.